




DIAMOND CALIBRATING TOOLS

SATELLITE WHEELS




SIZE	NO OF SEG	GRIT	THREAD
Φ120mm	16+3	50# 60# 70#	M45
Φ130mm	17+3		
Φ140mm	18+3		
Φ150mm	19+3		

CALIBRATING ROLLERS



SIZE	SIZE OF SEG	NO OF SEG
Φ230mm	43.67/40.48x9x12.5	135
	42.14/39.5x10x10(9)	143
	42/39.7x9x10(9)	250

CALIBRATING WHEEL



SIZE	SIZE OF SEG	NO OF SEG
Φ180mm	Φ180/160x30x10(9)	14





CALIBRATING WHEEL




SP6

SIZE	THICKNESS	SIZE OF SEG	NO OF SEG
Φ146mm	80mm	40x9.5x10	9x8



MC8

SIZE	THICKNESS	SIZE OF SEG	NO OF SEG
Φ180mm	60mm	40x4.5x10	12x12




C2

SIZE	THICKNESS	SIZE OF SEG	NO OF SEG
Φ320mm	121mm	40x5.2x10	23x22




CALIBRATING SCREW



CONNECTOR	SIZE OF SEG	GRIT
M10 M12	25x15x15	25#
		50#
		60#
		80#

JIG SAW BLADE



CODE	THICKNESS	NO OF SEG	SIZE OF SEG	APPLICATION
G2	1.4	1	15x2x5	GRANITE QUARTZ
		2	10x2x5	
G3	1.4	1	15x2x5	
		2	10x2x5	
G4	1.4	1	15x2x5	
		2	12x2x5	